

NAKKI

**UPHOLSTERY
SELECTION**



WOUUD

UPHOLSTERY SELECTION

OUR UPHOLSTERY SELECTION CONSISTS OF TEXTILES AND LEATHERS AVAILABLE WITHIN SIX DIFFERENT PRICE GROUPS. THE SELECTION COVERS MORE THAN 300 FABRIC AND LEATHER OPTIONS FROM HIGH-QUALITY TEXTILE AND LEATHER MANUFACTURER BRANDS.

CUSTOM UPHOLSTERY ORDERS ARE READY TO SHIP WITH STANDARD LEAD TIME. IT IS POSSIBLE TO USE CUSTOMER'S OWN MATERIALS (COM) WITH EXTENDED LEAD TIME UPON FABRIC APPROVAL. COM-PRICES ARE BASED ON PRICE GROUP 1.

PLEASE NOTE THAT THE COLOUR REFERENCES IN THIS CATALOGUE ARE ONLY INTENDED AS A GUIDE. FOR FURTHER INFORMATION AND CARE INSTRUCTION, PLEASE SEE MANUFACTURER WEBSITES. READ MORE ABOUT OUR UPHOLSTERIES AT WOUD.DK/FABRIC-COLLECTION/

STANDARD LEAD TIME 6-8 WEEKS
COM-ORDERS AVAILABLE UPON REQUEST
FIRE RETARDENT FOAM AVAILABLE UPON REQUEST (STANDARD FOR UNITED KINGDOM)

PRICE GROUP 1

SORRENTO*
ONTARIO*
ALPINE *

PRICE GROUP 2

STEP MELANGE
CURA

PRICE GROUP 3

REMIX 3
GAJA C2C
SELECT

PRICE GROUP 4

STEELCUT TRIO 3
HARALD 3
VIDAR 3
FIORD 2
ICON

PRICE GROUP 5

SILK
TUNDRA

FOLLOWING PAGES FEATURE OUR UPHOLSTERY OPTIONS AND SPECIFICATIONS AVAILABLE FOR NAKKI



UPHOLSTERY SELECTION OVERVIEW

OUR UPHOLSTERY SELECTION FOR NAKKI CONSISTS OF FIVE DIFFERENT PRICE GROUPS:

- PRICE GROUP 1
- PRICE GROUP 2
- PRICE GROUP 3
- PRICE GROUP 4
- PRICE GROUP 5

PRICE GROUP 1



SYMPHONY MILLS | **SORRENTO** *

AVAILABLE IN EIGHT
SELECTED COLOURS

COMPOSITION
92% PE, 8% PA

DURABILITY
45.000 MARTINDALE



DAVIS | **ONTARIO** *

AVAILABLE IN FOUR
SELECTED COLOURS

COMPOSITION
100% POL

DURABILITY
100.000 MARTINDALE




TEXTAAFOAM | **ALPINE** *

AVAILABLE IN SIX
SELECTED COLOURS

COMPOSITION
96% PES, 4% PAC

DURABILITY
75.00 MARTINDALE

PRICE GROUP 2



GABRIEL | **CURA**

AVAILABLE IN ALL COLOURS

COMPOSITION
98% POST-CONSUMER RECYCLED
POLYESTER / 2% POLYESTER

DURABILITY
100.000 MARTINDALE



GABRIEL | **STEP MELANGE**

AVAILABLE IN ALL COLOURS

COMPOSITION
100% TREVIRA CS

DURABILITY
100.000 MARTINDALE

PRICE GROUP 3



KVADRAT | **REMIX 3**

AVAILABLE IN ALL COLOURS

COMPOSITION
90% NEW WOOL (WORSTED)
10% NYLON

DURABILITY
100.000 MARTINDALE




GABRIEL | **GAJA C2C**

AVAILABLE IN ALL COLOURS

COMPOSITION
100% NEW ZEALAND WOOL

DURABILITY
50.000 MARTINDALE




GABRIEL | **SELECT**

AVAILABLE IN ALL COLOURS

COMPOSITION
85% NEW ZEALAND WOOL
15% POLYAMIDE

DURABILITY
100.000 MARTINDALE

PRICE GROUP 4



KVADRAT | **STEELCUT TRIO 3**

AVAILABLE IN ALL COLOURS

COMPOSITION
90% NEW WOOL (WORSTED)
10% NYLON

DURABILITY
100.000 MARTINDALE



KVADRAT | **HARALD 3**

AVAILABLE IN ALL COLOURS

COMPOSITION
100% COTTON

DURABILITY
100.000 MARTINDALE




KVADRAT | **VIDAR 4**

AVAILABLE IN ALL COLOURS

COMPOSITION
94% NEW WOOL
6% NYLON

DURABILITY
100.000 MARTINDALE




KVADRAT | **FIORD 2**

AVAILABLE IN ALL COLOURS

COMPOSITION
92% NEW WOOL (WORSTED)
8% NYLON

DURABILITY
60.000 MARTINDALE




NEVOTEX | **ICON**

AVAILABLE IN ALL COLOURS

COMPOSITION
100% POLYESTER

DURABILITY
100.000 MARTINDALE

PRICE GROUP 5



CA-MO | **SILK**

AVAILABLE IN ALL COLOURS

TYPE
ANILINE LEATHER

RAW MATERIAL
EUROPEAN RAWHIDES



CA-MO | **TUNDRA**

AVAILABLE IN ALL COLOURS

TYPE
ANILINE LEATHER

RAW MATERIAL
AUSTRALIAN RAWHIDES

1

PRICE GROUP



SYMPHONY MILLS

SORRENTO

COMPOSITION

92% PE, 8% PA

MARTINDALE

45.000

PILLING

4/5

CARE INSTRUCTIONS



FIRE RETARDENT

CAL 117 (CALIFORNIA BULLETIN 117-2013): STANDARD INHERENT BS5852 SOURCE 0.1 (CIGARETTE AND MATCH): TREATMENT OPTION EN1021 PART 1.2 (CIGARETTE AND MATCH): TREATMENT OPTION

SEAM SLIPPAGE

WARP AND WEFT

COLOUR FASTNESS

LIGHT: 4
 RUBBING (DRY): 4
 RUBBING (WET): 4/5

WIDTH AND WEIGHT

142 CM
 230 GR/M²

SELECTED UPHOLSTERY OPTIONS

PLEASE NOTE THAT THE COLOUR REFERENCES ARE ONLY INTENDED AS A GUIDE



DAVIS

ONTARIO

COMPOSITION

100% PES

MARTINDALE

100.000

PILLING

4

CARE INSTRUCTIONS



FIRE RETARDENT

PASSED - NO BURNING IDENTIFIED

COLOUR FASTNESS TO LIGHT

4

RUBBING


RUBBING (SOLVENTS): 4-5
 RUBBING (FASTNESS IN HUMID STATE): 4-5

WIDTH AND WEIGHT

MIN. 140 CM
 270 G/M²

SELECTED UPHOLSTERY OPTIONS

PLEASE NOTE THAT THE COLOUR REFERENCES ARE ONLY INTENDED AS A GUIDE



TEXTAAFOAM

ALPINE

COMPOSITION

96% PES, 4% PAC

MARTINDALE

75.000

PILLING

4

CARE INSTRUCTIONS



TENSILE STRENGTH

WARP: 1514

WEFT: 717

TEAR GROWTH RESISTANCE

WARP: 136,9

WEFT: 176,3

SEAM SLIPPAGE

WARP: 2.0

WEFT: 2.0


WIDTH AND WEIGHT

+/- 143 CM

+/- 680 G/M

SELECTED UPHOLSTERY OPTIONS

PLEASE NOTE THAT THE COLOUR REFERENCES ARE ONLY INTENDED AS A GUIDE



IVORY 101




NATURAL 01



DARK BROWN 18



ONYX 169



GREY 65



STEEL 149



2

PRICE GROUP

UPHOLSTERY
GABRIEL STEP MELANGE, 68161



GABRIEL

CURA

COMPOSITION

98% POST-CONSUMER RECYCLED POLYESTER / 2% POLYESTER

MARTINDALE

100.000

PILLING

4-5

CARE INSTRUCTIONS**LIGHTFASTNESS**


5-8

FLAMMABILITY

CONTAINS NO FLAME RETARDANT CHEMICALS

FASTNESS TO RUBBING

4-5

WIDTH AND WEIGHT140 CM
420 G/LM**ALL UPHOLSTERY OPTIONS AVAILABLE**SEE THE FULL RANGE OF COLOURS [RIGHT HERE](#)

GABRIEL

STEP MELANGE

COMPOSITION

100% TREVIRA CS

MARTINDALE

100.000

PILLING

4-5

CARE INSTRUCTIONS**LIGHT FASTNESS**

5-7

FLAMMABILITY

PASSED TESTS

FASTNESS TO RUBBING

4-5

WIDTH AND WEIGHT140 CM
470 G/LM**ALL UPHOLSTERY COLOURS AVAILABLE**SEE THE FULL RANGE OF COLOURS [RIGHT HERE](#)

3

PRICE GROUP

UPHOLSTERY
KVADRAT REMIX 3, 0123



GABRIEL

GAJA C2C**COMPOSITION**

100% NEW ZEALAND WOOL

MARTINDALE

50.000

PILLING

4-5

CARE INSTRUCTIONS**LIGHT FASTNESS**

5-7

CERTIFIED

CRADLE TO CRADLE CERTIFIED SILVER


FASTNESS TO RUBBING

4-5

WIDTH AND WEIGHT

140 CM

530 G/LM

ALL UPHOLSTERY COLOURS AVAILABLESEE THE FULL RANGE OF COLOURS [RIGHT HERE](#)

GABRIEL

SELECT**COMPOSITION**

85% NEW ZEALAND WOOL / 15% POLYAMIDE

MARTINDALE

100.000

PILLING

4

CARE INSTRUCTIONS**LIGHT FASTNESS**

5-8

CERTIFIED

EU ECOLABEL AND STANDARD 100 OEKO-TEX


FASTNESS TO RUBBING

4-5

WIDTH AND WEIGHT

140 CM

510 G/LM

ALL UPHOLSTERY COLOURS AVAILABLESEE THE FULL RANGE OF COLOURS [RIGHT HERE](#)

KVADRAT

REMIX 3

COMPOSITION

90% NEW WOOL / 10% NYLON

MARTINDALE

100.000

PILLING

4

CARE INSTRUCTIONS



LIGHTFASTNESS

6

SUSTAINABILITY

EU ECOLABEL

MANUFACTURED IN

GREAT BRITAIN


WIDTH AND WEIGHT

140 CM

420 G/LM

ALL UPHOLSTERY COLOURS AVAILABLE

SEE THE FULL RANGE OF COLOURS [RIGHT HERE](#)



PRICE GROUP
4

UPHOLSTERY
HARALD 3, 0143 (POUF AND BENCH)
HARALD 3, 0182 (LONG OTTOMAN)



NEVOTEX

ICON

COMPOSITION

100% POLYESTER

MARTINDALE

100.000

PILLING

4-5

CARE INSTRUCTIONS



LIGHTFASTNESS

5-6

RUBBING FASTNESS

4-5

WEIGHT

314 G/M²

WIDTH AND WEIGHT

140 CM

ALL UPHOLSTERY COLOURS AVAILABLE

SEE THE FULL RANGE OF COLOURS [RIGHT HERE](#)



KVADRAT

HARALD 3**COMPOSITION**

100% COTTON

MARTINDALE

100.000

PILLING

4-5

CARE INSTRUCTIONS**LIGHTFASTNESS**

5

SUSTAINABILITY

NATURAL FIBERS (SUSTAINABLE RESSOURCE)

MANUFACTURED IN

ITALY

WIDTH AND WEIGHT140 CM
520 G/LM**ALL UPHOLSTERY COLOURS AVAILABLE**SEE THE FULL RANGE OF COLOURS [RIGHT HERE](#)

KVADRAT

STEELCUT TRIO 3**COMPOSITION**


90% NEW WOOL (WORSTED) / 10% NYLON

MARTINDALE

100.000

PILLING

4

CARE INSTRUCTIONS**LIGHT FASTNESS**


5

SUSTAINABILITY

EU ECOLABEL

MANUFACTURED IN

GREAT BRITAIN

WIDTH AND WEIGHT140 CM
770 G/LM**ALL UPHOLSTERY COLOURS AVAILABLE**SEE THE FULL RANGE OF COLOURS [RIGHT HERE](#)

KVADRAT

FIORD 2**COMPOSITION**

92% NEW WOOL (WORSTED) / 8% NYLON

MARTINDALE

60.000

PILLING

4-5

CARE INSTRUCTIONS**LIGHTFASTNESS**

6

SUSTAINABILITY

EU ECOLABEL


MANUFACTURED IN

NORWAY

WIDTH AND WEIGHT

140 CM

500 G/LM

ALL UPHOLSTERY COLOURS AVAILABLESEE THE FULL RANGE OF COLOURS [RIGHT HERE](#)

KVADRAT

VIDAR 3**COMPOSITION**


94% NEW WOOL (WORSTED) / 6% NYLON

MARTINDALE

100.000

PILLING

4

CARE INSTRUCTIONS**LIGHT FASTNESS**

5-6

SUSTAINABILITY

EU ECOLABEL

MANUFACTURED IN

NORWAY

WIDTH AND WEIGHT

140 CM

765 G/LM

ALL UPHOLSTERY COLOURS AVAILABLESEE THE FULL RANGE OF COLOURS [RIGHT HERE](#)

UPHOLSTERY
VIDAR 3, 1880



5
PRICE GROUP

UPHOLSTERY
CAMO LEATHER, SILK (COGNAC)



CA-MO

SILK

RAW MATERIAL
EUROPEAN RAWHIDES

TANNING
CHROME TANNED

RUBBING FASTNESS
4

FLEXING ENDURANCE
30.000

TEARING STRENGTH
20 N/MM

ADHESION OF FINISH
3,50 N/CM

LIGHT FASTNESS
5-6

AVERAGE SIZE
4,5 - 5 M²

THICKNESS
1 - 1,2 MM

ALL UPHOLSTERY COLOURS AVAILABLE
SEE THE FULL RANGE OF COLOURS [RIGHT HERE](#)



CA-MO

TUNDRA

RAW MATERIAL

AUSTRALIAN RAWHIDES

TANNING

CHROME TANNED

RUBBING FASTNESS

4

TEARING STRENGTH

MIN. 20 N/MM

FLAME RESISTANCE

UNI EN ISO 1021 - 1/2
BS 5852 1991 SEC. 4 NI/0-1
TB 117 CALIFORNIA

LIGHT FASTNESS

1-3

AVERAGE SIZE

4,5 M²

THICKNESS

1,2 - 1,4 MM

ALL UPHOLSTERY COLOURS AVAILABLE

SEE THE FULL RANGE OF COLOURS [RIGHT HERE](#)



PRICE GROUP 5

WOUD

SØNDERGÅRDSALLE 9 MF
87000 HORSENS
DENMARK

INFO@WOUD.DK

